# WIRELESS VIEW CAMERA

SGŪ

Introducing our B2FWLIP4MP-AI-64G wireless camera, equipped with deterrent lights, TotalView technology for color night vision, as well as integrated speaker and siren to enhance security. With a 2.8mm lens, 10-meter infrared (IR) range, and exceptional sensitivity of 0.005 lux, this camera ensures clear and detailed images even in challenging lighting conditions. Powered by a 12V battery, it offers the flexibility for easy installation without complex wiring in various locations. This camera represents the ideal choice for 24/7 surveillance, with advanced features to deter potential threats and capture sharp high-resolution images, day and night.

## **B2FWLIP4MP-AI-64G**



IR UP TO 10M



SEE IN COLOR AT NIGHT



64GB MICRO SD CARD INCLUDED

B2FWLIP4MP-AI-64
------------------

♦ LENS	
IMAGING SENSOR	1/3"
MAX. RESOLUTION	4MP 2560(H)×1440(V)
MIN. ILLUMINATION	Color: 0.005Lux, 0 Lux with IR ON
SHUTTER TIME	1/8 S — 1/20000 S
FOCAL LENGTH (ZOOM RATIO)	2.8mm
MAX. APERTURE RATIO	F 1.6
ANGULAR FIELD OF VIEW	Horizontal: 95° Vertical:52° Diagonal:113°
MIN. OBJECT DISTANCE	1.8m
LENS TYPE	Fixed(M12)

⊙ ILLUMINATOR	
IR LED	1 pcs
WARM WHITE LIGHT	2 pcs
RED BLUE LIGHT	1
SUPPLEMENT LIGHT RANGE (IR)	Up to 10 M
SUPPLEMENT LIGHT TYPE	Default warm light, switchable infrared light
SMART SUPPLEMENT LIGHT	Yes

♥ VIDEO	
VIDEO COMPRESSION	H.265/H.264
MAIN STREAM	15fps
SUB-STREAM	15fps
BITRATE CONTROL METHOD	CBR
BIT RATE	256 Kbps/1 Mbps

⊙ NETWORK	
PROTOCOLS	TCP/IP,DHCP,DNS,RTP/RTSP,NTP,etc.
SIMULTANEOUS LIVE VIEW	No restrictions
WIFI	Dual 2.4GHz
USER	Up to 2 users

#### ( AUDIO

AUDIO COMPRESSION	G711A
CUSTOM VOICE	Yes (Lullaby)
() IMAGE	
WIDE DYNAMIC RANGE	DWDR
DAY/NIGHT SWITCH	True D/N (Auto)
PRIVACY MASK	2 programmable polygon privacy masks
IMAGE ENHANCEMENT	BLC
METADATA	Human&Vehicle Detection (PD&VD) Sound Detection(SD)
IMPORT METHOD	APP

() INTERFACE	
VIDEO OUTPUT	N/A
ETHERNET INTERFACE	N/A
ON-BOARD STORAGE	Micro SD Card Included, 64GB
WHITE BALANCE	Auto
BLC	Yes
DNR	Yes
AUDIO	Two-Way Communication
BUILT-IN MICROPHONE	Yes
BUILT-IN SPEAKER	Yes
ALARM	Yes
RESET KEY	Yes
POWER OUTPUT	DC 12V 1A

MATERIAL	Plastic&Metal
DIMENSION	144.8mm x 82.7mm x 70.9mm
WEIGHT	250g
OPERATING CONDITIONS	-35° ~ +60°, Humidity ≤ 90%
LANGUAGE	English
SAFETY	General information: TLS1.3 https, Stream data: AES256

2024 Global Surveillance Distribution, G.S.D Group and G.S.D are registered trademarks of Global Surveillance Distribution Group, Inc. in Canada and / or other countries. We reserve the right to change the design and specifications of the product Without notice and without Incurring any obligation.




WWW.GSDGROUP.CA 🟮 SALES@GSDGROUP.CA





✓



### DIMENSIONS









## ACCESSORIES



2024 Global Surveillance Distribution, G.S.D Group and G.S.D are registered trademarks of Global Surveillance Distribution Group, Inc. in Canada and / or other countries. We reserve the right to change the design and specifications of the product Without notice and without incurring any obligation.

Ø



SALES@GSDGROUP.CA

