# 4 CHANNEL DICHAL VIDEO RECORDER









VIDEO INPUT: TVI/CVI/AHD/ANALOG

# GSD-DVRFNC4K-04-N-AI

**8MP RESOLUTION** 

SPOT MONITOR OUT ON BNC

1HDD SLOT UP TO 16TB

**ONVIF ENCODER** 

**4K HDMI RESOLUTION** 

ALARM 4 IN / 1 OUT

UP TO 6 IP CAMERAS

P2P MOBILE CONNECTION

### **M** AI FEATURES

HUMAN & VEHICLE DETECTION | PERIMETER INTRUSION DETECTION | FACE RECOGNITION | LINE CROSSING DETECTION | LICENSE PLATE DETECTION\* | QUEUE LENGTH DETECTION\* | STATIONARY OBJECT DETECTION\* | CROWD DENSITY DETECTION\* | RARE SOUND DETECTION\* | VIDEO TAMPERING\* | NOISE DETECTION\*

\*THESE AI FEATURES ONLY WORK WITH IP CAMERAS OR WITH ANALOG CAMERAS WITH 2MP OR MORE

# **GSD-DVRFNC4K-04-N-AI**



Factory Reset: Press 10 seconds

UI5.0

### RECORDING BANDWIDTH

12Mbps ~36Mbps **INPUTS** IP Bandwidth default is 12Mbps, decrease one Analog channel can increase 6Mbps Total decoding performance 4K 30fps

OUT 48Mbps

ANALOG-VIDEO-INPUT **4CH** Inputs

### **O** LIVE

IP VIDEO INPUT 2ch,(only IP up to 6ch)

COMPOSITE VIDEO INPUT Up to 6ch (Analog video + IP video)

### PERFORMANCE

INSTALLATION WIZARD

Audio: G.711a COMPRESSION Video: H.264/H.265 Analog: 8MP (15fps) 5MP (20fps) 4MP/1080P/720P/960H (30fps) IP: 4K/4MP/1080P/720P DISPLAY RESOLUTION

Single IP channel preview up to 4K 30 fps multi-channel preview only substream

Analog: 8MP:7fps(each ch) 5MP:12fps(each ch) 4MP:15fps(each ch) 1080P : PAL:25fps(each ch)/NTSC:30fps(each ch) **SPEED** : PAL:25fps(each ch)/NTSC: 30fps(each ch)

> Sub-stream Max PAL: 704\*576:10fps (each ch)/NTSC: 704\*480:10fps(each ch)

MD (Sensitivity Level 1~8) **EVENT** Videlo loss Beep, Email, Push notification to Mobile APP

PLAYBACK FUNCTION Fast forward / backward (2x, 4x, 8x,16x) Slow forward (1/2x, 1/4x, 1/8x,1/16x)

8MP: 28fps 5MP: 48ps **PLAYBACK** 4MP: 60fps

AI FEATURES PERIMETER INTRUSION DETECTION **FACE DETECTION** LINE CROSSING DETECTION **HUMAN & VEHICLE DETECTION** CROWD DENSITY DETECTION\*

### **UI/MONITORING**

LOCAL

P/W RESET

Yes

IE10/11 Safari V12.1 above

WEB Firefox V.52 above Google chrome V.57 above Edge V.79 above

**MOBILE VIEWER SMARTGUARDIAN** 

**PUSH NOTIFICATION** YES

**BNC** 1 (704\*576)

**VGA** 1 (1024\*768, 1280\*720, 1280\*1024, 1440\*900, 1920\*1080)

1(1024\*768, 1280\*720, 1280\*1024, 1440\*900, 1920\*1080, 2560\*1440, **HDMI** 3840\*2160/EDID)

**ETHERNET** 1 RJ45 10/100 Base-T

USB2.0\*1 (front) **USB** USB2.0\*1+(rear)

**AUDIO** 4 in / 1 out

E-SATA 1 optional, not supported by default

HDD The recorder can support up to 16TB

RS485

ALARM INPUT/OUT 4 in /1 out

### GENERAL

**OSD LANGUAGE** Multiple: EN/FR/ES/DN/TC/IN/JP/KR **DIMENSION (WXDXH)** 300X227X53mm

INPUT VOLTAGE/CURRENT DC12V/2A POWER CONSUMPTION (EXCLUDING HARD DISK) 4.7W

Temperature : 0°C~+40°C (32°F ~ 104°F)

**OPERATING TEMPERATURE/HUMIDITY** Humidity: Less than 90%RH

STATIONARY OBJECT DETECTION\* RARE SOUND DETECTION\* LICENSE PLATE DETECTION\* NOISE DETECTION\* QUEUE LENGTH DETECTION\* VIDEO TAMPERING\*

AI MAX CAPTURED OUANTITY 200.000 AI REGISTERED OUANTITY 10.000 \*THESE AI FEATURES ONLY WORK WITH IP CAMERAS. OR ANALOG CAMERAS WITH 2MP OR MORE

2024 Global Surveillance Distribution, G.S.D Group and G.S.D are registered trademarks of Global Surveillance Distribution Group, Inc. in Canada and / or other countries. We reserve the right to change the design and specifications of the product Without notice and without incurring any obligation





1080P: 120fps







# **GSD-DVRFNC4K-04-N-AI**



# **COMPATIBLE ACCESSORIES**



VIDEO / POWER / AUDIO OVER CAT5

DISTANCE **FORMAT** PIGTAIL

**DETAILS** VIDEO POWER AUDIO

PACKAGE

**TECHNO** TVI / CVI / AHD / ANALOG









BALUN OVER TWISTED PAIR

DISTANCE 700+ FEET **FORMAT** PIGTAIL **DETAILS** 2MP / 5MP / 8MP

**PACKAGE** PAIR

**TECHNO** TVI / CVI / AHD / ANALOG














WD PURPLE PRO

# **DIMENSIONS**









2024 Global Surveillance Distribution, G.S.D Group and G.S.D are registered trademarks of Global Surveillance Distribution Group, Inc. in Canada and / or other countries. We reserve the right to change the design and specifications of the product Without notice and without incurring any obligation.











# **GSD-DVRFNC4K-04-N-AI**



# **OUR VIDEO MANAGEMENT SOFTWARE**









REMOTE CONFIGURATION

LIVE

**EASY REMOTE PLAYBACK** 

**STATISTICS** VIEWER









E-MAPPING

**SCENE** REPORTS

**SAVE TIME** SEARCH WITH A.I

RECURRING VISITOR TRACKER

## **SMART GUARDIAN APP**

**SCAN AND CONNECT!** EACH OF OUR DEVICES INCLUDES A OR CODE THAT YOU CAN SCAN AND INSTANTLY ACCESS YOUR DEVICES

**LIVE VIEW FAVOURITES SEARCH UP TO 16 CAMS** AI SEARCH **PUSH NOTIFICATIONS** 



2 WAY AUDIO **AI ARM RECORD ON MOBILE SAVE & SHARE** REMOTE CONFIGURATION

2024 Global Surveillance Distribution, G.S.D Group and G.S.D are registered trademarks of Global Surveillance Distribution Group, Inc. in Canada and / or other countries. We reserve the right to change the design and specifications of the product Without notice and without incurring any obligation.









