SCHAINIEL NETWORK VIDEO RECORDER









GSD-NVRFNC4K-08-N

UP TO 8MP

ONVIF COMPLIANT (G/M/S/T)

1HDD SLOT UP TO 16TB

8 POE PORTS + E-POE

4K HDMI OUTPUT

P2P CONNECTION

∧ AI FEATURES		
HUMAN & VEHICLE DETECTION	INTRUSION DETECTION	STATIONARY OBJECT DETECTION
PERIMETER INTRUSION DETECTION	REGION ENTRANCE & EXITING	CROWD DENSITY DETECTION
LINE CROSSING DETECTION	QUEUE LENGTH DETECTION	HEAT MAP
LICENSE PLATE DETECTION	CROSS COUNTING	NOISE DETECTION
FACE DETECTION	RARE SOUND DETECTION	VIDEO TAMPERING

GSD-NVRFNC4K-08-N



№ RECORDING BANDWIDTH RESOLUTION 8MP,5MP, 3MP, 2MP(1080P),1.3MP(960P),1.0MP(720P) INPUT 128M OUT 128M

• PERFORMANCE	
INSTALLATION WIZARD	YES
COMPRESSION	Audio: G.711a Video : H.264/H.265
AI FEATURES	YES
FRAME RATE	4K:45fps 4MP:90fps 2MP:180fps
EVENT	MD (Sensitivity Level 1~8) Videlo loss Beep, Email, Push notification to Mobile APP
PLAYBACK FUNCTION	Fast forward / backward (2x, 4x, 8x,16X) Slow forward (1/2x, 1/4x, 1/8x,1/16x)
PLAYBACK	Max 8CH playback

⊙ AI FEATURES	
HUMAN & VEHICLE DETECTION	RARE SOUND DETECTION
PERIMETER INTRUSION DETECTION	STATIONARY OBJECT DETECTION
LINE CROSSING DETECTION	CROWD DENSITY DETECTION
LICENSE PLATE DETECTION	HEAT MAP
FACE DETECTION	NOISE DETECTION
INTRUSION DETECTION	VIDEO TAMPERING
REGION ENTRANCE & EXITING	AI REGISTERED QUANTITY 10,000
QUEUE LENGTH DETECTION	AI MAX CAPTURED QUANTITY 200,000
CROSS COUNTING	INSTANT NOTIFICATIONS

UI5.0
Safari V12.1 above, Firefox V.52 above chrome V.57 above, Edge V.79 above
SMART GUARDIAN
YES
E

Factory Reset : Press 10 seconds
Factory Reset: Press 10 seconds button press and the buzzer beeps, it means the reset is done.
1024*768, 1280*720, 1280*1024, 1440*900, 1920*1080)
1 (1024*768, 1280*720, 1280*1024,1440*900, 1920*1080 , 2560*1440, 3840*2160/EDID)

(D) INTERFACE

© CONNECTIONS

GENERAL

POE	8 POE
ETHERNET	1 RJ45 100/1000 Base-T
USB	USB2.0*1(front) USB2.0*1+(rear)
AUDIO OUT	1
E-SATA	NO
HDD	The recorder can support up to 16TB

OSD LANGUAGE	Multiple Languages : EN/FR/ES/DN/TC/IN/JP/KR
DIMENSION (WXDXH)	300X227X53mm
INPUT VOLTAGE/CURRENT	1HDD:DC48V/1.5A PoE Swith:48V
POWER CONSUMPTION	5W
OPERATING TEMPERATURE/HUMIDITY	"Temperature : 0°C~+40°C (32°F ~ 104°F)

2024 Global Surveillance Distribution, G.S.D Group and G.S.D are registered trademarks of Global Surveillance Distribution Group, Inc. in Canada and / or other countries. We reserve the right to change the design and specifications of the product Without notice and without incurring any obligation.









Humidity: Less than 90%RH"



GSD-NVRFNC4K-08-N



COMAPTIBLE HARD DRIVES



WD-HDDPURPLE-4T

UP TO 4TB HARD DRIVE



WD-HDDPURPLE-8T


UP TO 8TB PRO HARD DRIVE





WD-HDDPURPLE-10T

UP TO 10TB PRO HARD DRIVE

DIMENSIONS









2024 Global Surveillance Distribution, G.S.D Group and G.S.D are registered trademarks of Global Surveillance Distribution Group, Inc. in Canada and / or other countries. We reserve the right to change the design and specifications of the product Without notice and without incurring any obligation.











GSD-NVRFNC4K-08-N



OUR VIDEO MANAGEMENT SOFTWARE









REMOTE CONFIGURATION

LIVE

EASY REMOTE PLAYBACK

STATISTICS VIEWER









RECURRING VISITOR **TRACKER**

AI ATTENDANCE **REPORTS**

SAVE TIME SEARCH WITH A.I

E-MAPPING

SMART GUARDIAN APP

SCAN AND CONNECT! EACH OF OUR DEVICES INCLUDES A OR CODE THAT YOU CAN SCAN AND INSTANTLY ACCESS YOUR DEVICES

LIVE VIEW FAVOURITES SEARCH UP TO 16 CAMS AI SEARCH **PUSH NOTIFICATIONS**



2 WAY AUDIO **AI ARM** RECORD ON MOBILE **SAVE & SHARE** REMOTE CONFIGURATION

2024 Global Surveillance Distribution, G.S.D Group and G.S.D are registered trademarks of Global Surveillance Distribution Group, Inc. in Canada and / or other countries. We reserve the right to change the design and specifications of the product Without notice and without incurring any obligation.









