

MODEL #

T2F28AIO-8MP



FENNEC SERIES

BY
GSD
GROUP

HD ANALOG **TURRET CAMERA**

NDAA
Conforme




8MP
RESOLUTION



8MP
Resolution

2.8MM Lens



IR Up to 20M

Power 12V/DC

Introducing the **T2F28AIO-8MP** analog security camera, your ultimate surveillance solution. With its impressive 8MP resolution and a precise 2.8mm lens, this camera ensures crystal-clear footage for maximum security coverage. Equipped with infrared technology, it provides night vision capabilities of up to 20 meters, keeping your property safe around the clock. Trust in the reliability and performance of this advanced security camera to safeguard your home or business.



IP67
Dustproof &
Water-Resistant

TVI-CVI-
AHD-960H

**VIDEO**

Imaging Device	1/2.7" Progressive CMOS
Total Pixels	2608 (H) x 1960 (V)
Effective Pixels	2608 (H) x 1960 (V)
Scanning System	progressive scanning
Min. Illumination	Color 0.04lux @ F1.6(AGC ON) ; B/W 0 lux @ IR ON
Video Output	BNC
Resolution	8MP 3840 (H) x 2160 (V)
Max. Framerate	AHD/TVI/CVI: 8MP@15fps CVBS: 960H
Focal Length (Zoom Ratio)	2.8MM
Max Aperture Ratio	F2.0
Angular Field of View	H:102° / V:54.7° / D:124.4°
Min. Object Distance	0.6m
Lens Type	Fixed lens

LAWS AND REGULATIONS

Safety	CE LVD
EMC	CE EMC, FCC
ROHS	RoHS2.0

OPERATIONAL

IR Distance	20M
ON Screen Display	English
Day & Night	Smart / Auto / Color / B/W
Backlight Compensation	GLOBAL / BLC
Wide Dynamic Range	D-WDR (Off/On)
Digital Noise Reduction	2D DNR
Gain Control	High
White Balance	ATW
Electronic Shutter Speed	Auto
Reverse	Mirror
Remote Control Interface	ACP (AHD Coax Protocol)
Video Transmission Distance	MAX 300M (RG-6)

GENERAL

Operating Temperature/ Humidity	-30°C ~ 55°C / 90%
Ingress Protection	IP66
Input Voltage/ Current	12V DC
Power Consumption	IR ON : 5W, IR OFF : 1.5W
Dimensions	Ø108.8x98.6mm
Weight	appr 430g




HD ANALOG **TURRET CAMERA**

MODEL #

T2F28AIO-8MP

DIMENSIONS



COMPATIBLE ACCESSORIES

CEILING MOUNT SOLUTION



CMB6-G
CEILING MOUNT

CORNER MOUNT SOLUTION



COMB6
CORNER MOUNT BRACKET

POLE MOUNT SOLUTION



PMB6
POLE MOUNT BRACKET

WALL MOUNT SOLUTION



OR



+



WMB5
WALLMOUNT BRACKET

WMB6
WALLMOUNT BRACKET

EB3BASE4-G
PENDANT

JUNCTION BOX



EB3BASE4
JUNCTION BOX

DOWNLOAD THE SMART GUARDIAN APP

